





Modeling NY/NJ Harbor Storm Surge Flooding and Influences of Barriers and Natural Systems

Philip Orton

Much help from Nickitas Georgas, Sergey Vinogradov, Alan Blumberg Davidson Laboratory, Stevens Institute of Technology



Funding from the NOAA RISA Program (Rosenzweig et al.) project:


"Consortium for Climate Risk in the Urban Northeast (CCRUN)"


and a NASA project for research supporting the Nat'l Climate Assessment

Thanks also to the CUNY High Performance Computing Center




Timeline







Sandy By the Numbers: NYC Flooding


- Coastal flood elevations in New York Harbor (14.1 ft MLLW) were the highest in all ~300 years of New York City history
- It beat the storm tide of Irene by 4.6 ft, the (80 year) tide gauge record of Hurricane Donna (1960) by 4.0 ft, and the estimated all-time record of about 12-13 ft from the Hurricane of 1821
- The flood elevation at Kings Point was 14.0 ft a few hours later, with a peak storm surge of 12.3 ft coming near LOW tide – fortunate!





Model Results Here Onward are Based on: Ocean Weather Inc. (OWI) meteorological reanalysis 27-Oct-2012 06:05:00 EDT































Model Validation for Sandy Hindcast






Timeline




Present

1821 Hurricane: Worse than Sandy?

- Estimated Cat-3 storm at NYC landfall
- Max wind speed: 108 mph (vs 80)
- 13 feet in one hour!?
- (don't just prepare for the next Sandy.)





1821 Simulated Wind Vectors and Water Elevation




Historical Changes in Storm Tides


Talke, Orton, Jay – in press, Geophysical Research Letters





The Brooklyn Tide Gauge House and Benchmark at the Hamilton Ferry Dock in 1861. The 'Tide House' is the small building at right. Photograph by P. Lau at the US National Archives in College Park, MD.






Annual Maximum Storm Tide from gauges around the New York Harbor area (map at left)

Rising 5-year and 10-year Storm Tides and Flood Elevations (with SLR)

Battery



Gov. Island


Sandy Hook

Brooklyn


Misc.

Possible reasons:

- Climate variability (emergence from Little Ice Age)
- Climate change
- Human changes made to the harbor (e.g. elimination of wetlands, dredging channels)




Timeline



Adaptation Option 1: Bathymetric Restoration and Wetlands (or "green engineering")

- Reversing dredging shipping channel depths
- Restoring wetlands and islands (below)



Elders East Island, Jamaica Bay, NYC, 2010




Photo credits: US Army Corps of Engineers

Historic Depth Changes in Jamaica Bay

Jamaica Bay is"...so full of marshes and islands as to render its navigation utterly impossible except to very light-draft vessels with local pilots on board. No intelligible description can be given of the islets and numerous channels among them."

U.S. Coast Pilot Coast and Geodetic Survey, 1904





Volume of the Bay has increased 350% and average depth has gone from 1m to 5m since the late 1800s.


NYC DEP, 2007;

- → Tide ranges in the bay have increased ~0.5 m (25-45%)
- → High water levels have increased ~0.10 to 0.25 m (Swanson and Wilson, 2008)

Bathymetric Change Experiment – Shallowing Jamaica Bay by 67%









A STRONGER, MORE RESILIENT NEW YORK





The City of New York Mayor Michael R. Bloom

Map of Adaptation – J-Bay Wetlands and Rockaway dune



Jamaica Bay Wetlands & Rockaways Bern Storm Tide/Still Water Levels






Collaborative work done for NYC SIRR study with Arcadis and others

Map of Adaptation – J-Bay wetlands, shallowing and Rockaway dune



Jamaica Bay Wetlands, Shallowing, Berm Storm Tide/Still Water Levels



Adaptation Option 2: Storm Surge Barriers

Barriers have been successful for The Netherlands, Providence, Stamford (CT), New Bedford (CT), the Thames (London), and new ones are in action in St. Petersburg and Venice.




Benefits of Storm Surge Barriers

- Efficiency- reduce length of shoreline that must be protected (e.g. Jamaica Bay)
- Our cities are our "greenest" developments, preventing sprawl, so we should protect them at all costs
- We could have the big one Hill et al. claim 30-foot storm surges crashing over Brooklyn and Queens (Doug Hill, J. Coastal Res. editorial, 2012)

Map of Adaptation – J-Bay surge barrier





Jamaica Bay Barrier + Berm Storm Tide/Still Water Levels



Do The Sandy-Shift – Does Stamford Sink?

- To evaluate the alternative scenario of Long Island Sound / East River flooding for NYC, we shifted Sandy landfall timing
- Superposition of the observed storm surge on top of Oct 29th high tide exceeds the design elevation of the Stamford surge barrier by 38cm
- The hydrodynamic model results (-9h shift) suggest that the waters would have risen to within 8cm of the barrier design height





Paper in preparation for *Journal of Extreme Events*


What Happens When Protections are Overtopped?

WNYC News

Deadly Topography: The Staten Island Neighborhood Where 11 Died During Sandy

Monday, February 25, 2013

By Matthew Schuerman: Editor, WNYC





Life After Sandy

Stories from the storm recovery

More »

The stories that people tell about fleeing from Sandy's surge in one section of Staten Island's Eastern Shore all sound alike: the water came all at once, and gave little advance notice.

"It happened so fast that we just had to get up the stairs and tell everybody else that we were flooding, because they didn't even know," said Kristina Zakarya, who was getting ready to watch a movie on the ground floor of her mother's house in Midland Beach.

A friend who was with her, Nick Duggan, added: "I had a sweatshirt, my shoes and my wallet and my phone, and I only grabbed my wallet and my phone."


A few blocks away, on Quincy Street in an adjoining neighborhood known as Ocean Breeze, Mike Taurozzi got a phone call from a neighbor warning him to move his car to higher ground.

"By the time I came back down," he recalled, "it was already a foot and a half, just from moving the car."

What Happens When Protections are Overtopped?

Protections have a design height – we need to also study what happens when they fail.


Case study: Did Staten Island's waterfront berm that was raised in the 1950s cause a more deadly flood?



Barriers/Berms can act as Risk-Multipliers


The larger red area is centered on Midland Beach – model results back up and help identify reasons for witness observations.

The region with the highest drowning rate was the region with the highest water rise rate.



Modeled Water Level Rise Rate- Worsened by "Protection" or "Risk-Reduction" Measure


- Rise rate in harbor was ~2 feet per hour
- Rise was
 abrupt in
 Midland
 Beach, and
 >6
 feet/hour




Barriers and Natural Flood Protection


- Storm surge barriers and levees/berms
 - can protect the city center from storm surge flooding
 - however, they can also slightly worsen flooding outside the barriers
 - not always "risk reduction measures" should plan better evacuations or raise land, not create deadly topography
- Massive wetland restoration alone in Jamaica Bay only reduces "Sandy plus sea level rise" flood levels by inches
 - however, they likely have wave/erosion reduction benefits in smaller storm events
- Wetland restoration plus channel depth reductions to 2m maximum depth reduces Sandy's water elevations for Jamaica Bay substantially

Modeling & Quantifying Coastal Protection





Scape Team RBD Resilience Philosophy: The Layered Approach



Final Conclusions

- We have successfully simulated Hurricane Sandy storm tides with a typical RMS error of 0.15 m
 - Sandy "captured" ... available for experimentation
- Storm tides in NY/NJ Harbor have worsened since the 1800s and first half of the 1900s
- Storm surge barriers and levees can be efficient means of protection, but are not always "risk reduction measures"
 - They create bowl-shaped neighborhoods, so may not be an appropriate solution in an era of accelerating sea level rise
- Shallowing unused deep dredged channels could be an effective long-term "green" strategy for reducing flooding







Modeling NY/NJ Harbor Storm Surge Flooding and Influences of Barriers and Natural Systems

Philip Orton

Much help from Nickitas Georgas, Sergey Vinogradov, Alan Blumberg Davidson Laboratory, Stevens Institute of Technology



Funding from the NOAA RISA Program (Rosenzweig et al.) project:

"Consortium for Climate Risk in the Urban Northeast (CCRUN)"

and a NASA project for research supporting the Nat'l Climate Assessment


Thanks also to the CUNY High Performance Computing Center



Climate Change Impacts on Flooding

- We've already had about 8" of anthropogenic (human-caused) sea level rise since 1900 → sea level rise is already making floods worse, and this will worsen
- Sandy may have been influenced by altered jet stream patterns (debated)
- Globally: IPCC-SREX 2012 says
 - "Average tropical cyclone maximum wind speed is *likely* to increase"
 - "It is *likely* that the global frequency of tropical cyclones will either decrease or remain essentially unchanged"
- In our region: North Atlantic storms have been frequent and more powerful in the past few decades
 - However, many scientists agree that we do not have enough historical data to determine if this is natural or human-induced variability


NYC Panel on Climate Change Draft Predictions



Horton, R., and many others. A Framework for Rapid Assessment of Climate Hazards in NYC Post-Hurricane Sandy: Part 1, Atmospheric Variables and Part 2, Sea Level Rise. (in prep.)

Methods follow: Kopp, R.E., and many others. Probabilistic 21st century sea-level rise projections at a global network of tide gauge sites. (submitted to *Earth's Future*)

NYC is not The Netherlands – Different Hazard Profile, More High Ground




- Physically, NYC has very little in common with The Netherlands
 - Our hazard curve is steep-sloped, meaning we have "surprise" large events
 - They have 28% of their land below average sea level --> evacuation distances can be very long
 - We have 0% below average sea level
 - We have 0% of our neighborhoods below typical high tide levels (rounded off), for that matter




Stills of Animations

Sandy: Hoboken Flooding Sub-model



Sandy: Hoboken Flooding Sub-model



Sandy: Hoboken Flooding Sub-model

